



STATE OF IDAHO  
DEPARTMENT OF  
ENVIRONMENTAL QUALITY

1410 North Hillon • Boise, Idaho 83706-1255 • (208) 373-0502

Dirk Kempthorne, Governor  
C. Stephen Allred, Director

May 3, 2002

**CERTIFIED MAIL # 7099 3220 0006 2681 7057**

Mr. Steve Spletstoser, Operations Manager  
Riley Creek Lumber Company  
P.O. Box 220  
Laclede, ID 83841

RE: AIRS Facility No. 017-00027, Riley Creek Lumber Company, Laclede  
Final Tier I Operating Permit

Dear Mr. Spletstoser:

The Idaho Department of Environmental Quality (Department) is issuing Tier I Operating Permit No. 017-00027 for Riley Creek Lumber Company in accordance with the Title V of the Clean Air Act and IDAPA 58.01.01.300 through 386, *Rules for the Control of Air Pollution in Idaho (Rules)*. This operating permit is effective immediately, summarizes the applicable requirements for your facility, and requires an annual compliance certification for all emissions units.

The enclosed operating permit is based on the information contained in your permit application, received April 11, 1995. Modifications to and/or renewal of this operating permit shall be requested in a timely manner in accordance with the *Rules*.

Mr. Tom Harman of the Coeur d'Alene Regional Office will contact you regarding a meeting with the Department to discuss the permit terms and requirements. The Department recommends attendance of the plant manager, responsible official, environmental contact, and any operations staff responsible for day-to-day compliance with permit conditions.

You, as well as any other entity, may have the right to appeal this final agency action pursuant to IDAPA 58.01.23 (*Rules of Administrative Procedure Before the Board of Environmental Quality*). A petition may be filed with the Hearings Coordinator, Department of Environmental Quality, 1410 N. Hillon, Boise, ID 83706-1255, within 35 days of the date of this decision. However, the Department encourages you to contact us to discuss any concerns you may have with the enclosed permit prior to filing a petition for a contested case.

If you have any questions regarding the terms or conditions of the enclosed permit, please contact Bill Rogers at (208) 373-0502 or [wrogers@deq.state.id.us](mailto:wrogers@deq.state.id.us).

Sincerely,

  
Katherine B. Kelly  
Administrator  
Air Quality Division

KK/tk

Project No. T1-9504-042-1

G:\AIR PERMITS\T1\RILEY CREEK\FINAL PREP\T1 FINAL PERMIT LTR.DOC

Enclosure

cc: Sherry Davis, Technical Services  
Tom Harman, Coeur d'Alene Regional Office

Laurie Kral, EPA Region 10



**Air Quality**  
**TIER I OPERATING PERMIT**  
State of Idaho  
Department of Environmental Quality

PERMIT NO.: 017-00027

AQCR: 63

CLASS: A

SIC: 2421

ZONE: 11

UTM COORDINATE (km): 518.2, 5334.7

**1. PERMITTEE**

Riley Creek Lumber Co.

**2. PROJECT**

Tier I Operating Permit

**3. MAILING ADDRESS**

P.O. Box 220

**CITY**

Laclede

**STATE**

ID

**ZIP**

83841

**4. FACILITY CONTACT**

Steve Spletstoser

**TITLE**

Operations Manager

**TELEPHONE**

(208) 263-7574

**5. RESPONSIBLE OFFICIAL**

Marc Brinkmeyer

**TITLE**

Owner

**TELEPHONE**

(208) 263-7574

**6. EXACT PLANT LOCATION**

SW ¼ SE ¼ Section 30, Township 56 North, Range 5 West

**COUNTY**

Bonner

**7. GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS**

Sawmill - Dimensional lumber

**8. PERMIT AUTHORITY**

This Tier I operating permit is issued pursuant to Idaho Code §39-115 and the *Rules for the Control of Air Pollution in Idaho*, IDAPA 58.01.01.300 through 386. The permittee shall comply with the terms and conditions of this permit.

This permit incorporates all applicable terms and conditions of prior air quality permits issued by the Idaho Department of Environmental Quality (Department) for the permitted source; unless the permittee emits toxic pollutants subject to state-only requirements pursuant to IDAPA 58.01.01.210, and the permittee elects not to incorporate those terms and conditions into this operating permit.

The effective date of this permit is the date of signature by the Department on the cover page.

  
KATHERINE B. KELLY, ADMINISTRATOR, AIR QUALITY DIVISION  
DEPARTMENT OF ENVIRONMENTAL QUALITY

DATE ISSUED: May 3, 2002

DATE EXPIRES: May 3, 2007

## TABLE OF CONTENTS

1.	Facility-wide Conditions .....	3
2.	Perry Smith ABCO - Wood-fired Boiler, Boiler No. 1 .....	11
3.	Kipper and Sons - Wood-fired Boiler, Boiler No. 2 .....	15
4.	Rail Car Target Box, Planer Shavings Cyclone Baghouse, and Olivine Burner .....	19
5.	Miscellaneous Sources .....	22
6.	Insignificant Activities .....	23
7.	Tier I Operating Permit General Provisions .....	24

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

## 1. FACILITY-WIDE CONDITIONS

The following table contains a summary of requirements that apply generally to emissions units at the facility.

**Table 1.1 Facility-wide Permit Conditions Summary**

Permit Conditions	Parameter	Permit Limit/ Standard Summary	Applicable Requirements Reference	Monitoring, Recordkeeping, and Reporting Requirements
1.1	Fugitive emissions	Reasonable control	IDAPA 58.01.01.650-651	1.2, 1.3, 1.4, 1.17, 1.18
1.5	Odors	No emissions of odorous gas, liquids, or solids	IDAPA 58.01.01.775-776	1.6, 1.17, 1.18
1.7	Visible emissions	20% opacity for no more than three minutes in any 60-minute period	IDAPA 58.01.01.625	1.8, 1.17, 1.18
1.9	Excess emissions	Compliance with IDAPA 58.01.01.130-136	IDAPA 58.01.01.130-136	1.9.1-1.9.5, 1.17, 1.18
1.10	Open burning	Compliance with IDAPA 58.01.01.600-616	IDAPA 58.01.01.600-616	1.10
1.11	Renovation and demolition	Compliance with 40 CFR 61 Subpart M	40 CFR 61 Subpart M	1.11
1.12	Chemical accident prevention	Compliance with 40 CFR 68	40 CFR 68	1.12
1.13	Fuel-burning equipment	Compliance with IDAPA 58.01.01.676-677	IDAPA 58.01.01.676	1.13
1.14	Sulfur content	0.3% or less for No. 1 fuel 0.5% or less for No. 2 fuel	IDAPA 58.01.01.728	1.14

### ***Fugitive Emissions***

- 1.1 All reasonable precautions shall be taken to prevent particulate matter from becoming airborne in accordance with IDAPA 58.01.01.650-651.  
[IDAPA 58.01.01.650-651, 5/1/94]
- 1.2 Unless specified elsewhere in this permit, the permittee shall monitor and maintain records of the frequency and the method(s) used (i.e., water, chemical dust suppressants, etc.) to reasonably control fugitive emissions.  
[IDAPA 58.01.01.322.06, 07, 5/1/94]
- 1.3 Unless specified elsewhere in this permit, the permittee shall maintain records of all fugitive dust complaints received. The permittee shall take appropriate corrective action as expeditiously as practicable after receipt of a valid complaint. The records shall, at a minimum, include the date each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.  
[IDAPA 58.01.01.322.06, 07, 5/1/94]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- 1.4 Unless specified elsewhere in this permit, the permittee shall conduct a monthly facility-wide inspection of potential sources of fugitive emissions during daylight hours and under normal operating conditions to ensure that the methods used to reasonably control fugitive emissions are effective. If fugitive emissions are not being reasonably controlled, the permittee shall take corrective action as expeditiously as practicable. The permittee shall maintain records of the results of each monthly fugitive emission inspection. The records shall, at a minimum, include the date of each inspection and a description of the following: the permittee's assessment of the conditions existing at the time fugitive emissions were present (if observed), any corrective action taken in response to the fugitive emissions, and the date the corrective action was taken.

[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]

**Odors**

- 1.5 No person shall allow, suffer, cause, or permit the emission of odorous gases, liquids, or solids to the atmosphere in such quantities as to cause air pollution.
- 1.6 Unless specified elsewhere in this permit, the permittee shall maintain records of all odor complaints received. If the complaint has merit, the permittee shall take appropriate corrective action as expeditiously as practicable. The records shall, at a minimum, include the date each complaint was received and a description of the following: the complaint, the permittee's assessment of the validity of the complaint, any corrective action taken, and the date the corrective action was taken.

[IDAPA 58.01.01.775-776, 5/1/94]

[IDAPA 58.01.01.322.06, 07 (state-only), 5/1/94]

**Visible Emissions**

- 1.7 No person shall discharge any air pollutant to the atmosphere from any point of emission for a period or periods aggregating more than three minutes in any 60-minute period which is greater than 20% opacity as determined by procedures contained in IDAPA 58.01.01.625. These provisions shall not apply when the presence of uncombined water, nitrogen oxides, and/or chlorine gas is the only reason(s) for the failure of the emission to comply with the requirements of this section.
- 1.8 Unless specified elsewhere in this permit, the permittee shall conduct a quarterly facility-wide inspection of potential sources of visible emissions during daylight hours and under normal operating conditions. The inspection shall consist of a see/no see evaluation for each potential source of visible emissions. If any visible emissions are present from any point of emission, the permittee shall either take appropriate corrective action as expeditiously as practicable, or perform a Method 9 opacity test within 48 hours and in accordance with the procedures outlined in IDAPA 58.01.01.625. A minimum of 30 observations shall be recorded when conducting the opacity test. If opacity is greater than 20% for a period or periods aggregating more than three minutes in any 60-minute period, the permittee shall take all necessary corrective action and report the exceedance in its annual compliance certification and in accordance with IDAPA 58.01.01.130-136. The permittee shall maintain records of the results of each quarterly visible emissions inspection and each opacity test when conducted. The records shall, at a minimum, include the date and results of each inspection and test and a description of the following: the permittee's assessment of the conditions existing at the time visible emissions are present (if observed), any corrective action taken in response to the visible emissions, and the date corrective action was taken.

[IDAPA 58.01.01.625, 4/5/00]

[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Excess Emissions**

1.9 Unless specified elsewhere in this permit, the permittee shall comply with the procedures and requirements of IDAPA 58.01.01.130-136 for excess emissions. The provisions of IDAPA 58.01.01.130-136 shall govern in the event of conflicts between the subsections of Permit Condition 1.9 and the regulations of IDAPA 58.01.01.130-136.

1.9.1 The person responsible for, or in charge of, a facility during an excess emissions event shall, with all practicable speed, initiate and complete appropriate, reasonable action to correct the conditions causing such an excess emissions event; to reduce the frequency of occurrence of such events; to minimize the amount by which the emission standard is exceeded; and shall, as provided below or upon request of the Department, submit a full report of such occurrence, including a statement of all known causes, and of the scheduling and nature of the actions to be taken.

[IDAPA 58.01.01.132, 4/5/00]

1.9.2 In all cases where startup, shutdown, or scheduled maintenance of any equipment or emission unit is expected to result or results in an excess emissions event, the owner or operator of the facility or emissions unit generating the excess emissions shall demonstrate compliance with IDAPA 58.01.01.133.01(a) through (d), including, but not limited to the following:

[IDAPA 58.01.01.133, 4/5/00]

- A prohibition of any scheduled startup, shutdown, or maintenance resulting in excess emissions shall occur during any period in which an Atmospheric Stagnation Advisory and/or a Wood Stove Curtailment Advisory has been declared by the Department.

[IDAPA 58.01.01.133.01.a, 3/20/97]

- Notifying the Department of the excess emissions event as soon as reasonably possible, but no later than two hours prior to the start of the excess emission event, unless the owner or operator demonstrates to the Department's satisfaction that a shorter advanced notice was necessary.

[IDAPA 58.01.01.133.01.b, 4/5/00]

- The owner or operator of a source of excess emissions shall report and record the information required pursuant to Permit Conditions 1.9.4 and 1.9.5 and IDAPA 58.01.01.135 and 136 for each excess emissions event due to startup, shutdown, or scheduled maintenance.

[IDAPA 58.01.01.133.01.c, 3/20/97]

1.9.3 In all cases where upset or breakdown of equipment or an emissions unit, or the initiation of safety measures, results or may result in an excess emissions event, the owner or operator of the facility or emissions unit generating the excess emissions shall demonstrate compliance with IDAPA 58.01.01.134.01(a) and (b) and the following:

[IDAPA 58.01.01.134, 4/5/00]

1.9.3.1 For all equipment or emissions units from which excess emissions result during upset or breakdown conditions, or for other situations that may necessitate the implementation of safety measures which cause excess emissions, the facility owner or operator shall comply with the following:

[IDAPA 58.01.01.134.02, 4/5/00]

- The owner or operator shall immediately undertake all appropriate measures to reduce and, to the extent possible, eliminate excess emissions resulting from the event and to minimize the impact of such excess emissions on the ambient air quality and public health.

[IDAPA 58.01.01.134.02.a, 4/5/00]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- The owner or operator shall notify the Department of any upset, breakdown, or safety event that results in excess emissions. Such notification shall identify the time, specific location, equipment or emissions unit involved, and (to the extent known) the cause(s) of the occurrence. The notification shall be given as soon as reasonably possible, but no later than 24 hours after the event, unless the owner or operator demonstrates to the Department's satisfaction that the longer reporting period was necessary.

[IDAPA 58.01.01.134.02.b, 4/5/00]

- The owner or operator shall report and record the information required pursuant to Permit Conditions 1.9.4 and 1.9.5 and IDAPA 58.01.01.135 and 136 for each excess emissions event caused by an upset, breakdown, or safety measure.

[IDAPA 58.01.01.134.02.c, 3/20/97]

- 1.9.3.2 During any period of excess emissions caused by upset, breakdown, or operation under facility safety measures, the Department may require the owner or operator to immediately reduce or cease operation of the equipment or emissions unit causing the excess emissions until such time as the condition causing the excess emissions has been corrected or brought under control. Such action by the Department shall be taken upon consideration of the factors listed in IDAPA 58.01.01.134.03 and after consultation with the facility owner or operator.

[IDAPA 58.01.01.134.03, 4/5/00]

- 1.9.4 A written report for each excess emissions event shall be submitted to the Department by the owner or operator no later than 15 days after the beginning of each such event. Each report shall contain the information specified in IDAPA 58.01.01.135.02.

[IDAPA 58.01.01.135.01, 3/20/97; IDAPA 58.01.01.135.02, 4/5/00]

- 1.9.5 The owner or operator shall maintain excess emissions records at the facility for the most recent five-calendar-year period. The excess emissions records shall be made available to the Department upon request. The excess emissions records shall include the information requested by IDAPA 58.01.01.136.03(a) and (b) as summarized in the following:

[IDAPA 58.01.01.136.01, 02, 3/20/97; IDAPA 58.01.01.136.03, 4/5/00]

- An excess emissions record book for each emissions unit or piece of equipment containing copies of all reports that have been submitted to the Department pursuant to IDAPA 58.01.01.135 for the particular emissions unit or equipment; and

[IDAPA 58.01.01.136.03.a, 4/5/00]

- Copies of all startup, shutdown, and scheduled maintenance procedures and upset, breakdown, or safety preventative maintenance plans that have been developed by the owner or operator in accordance with IDAPA 58.01.01.133 and 134, and facility records as necessary to demonstrate compliance with such procedures and plans.

[IDAPA 58.01.01.136.03.b, 3/20/97; IDAPA 58.01.01.130-136, 4/5/00  
(state-only; federally enforceable upon approval into the SIP);  
IDAPA 58.01.01.322.08.b (3/23/98)]

### **Open Burning**

- 1.10 The permittee shall comply with the requirements of IDAPA 58.01.01.600-616, *Rules for Control of Open Burning*.

[IDAPA 58.01.01.600-616, 5/1/94]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Renovation/Demolition**

- 1.11 The permittee shall comply with all applicable portions of 40 CFR 61 Subpart M, when conducting any renovation or demolition activities at the facility.

**[40 CFR 61 Subpart M]**

**Regulated Substances for Accidental Release Prevention**

- 1.12 An owner or operator of a stationary source that has more than a threshold quantity of a regulated substance in a process, as determined under 40 CFR 68.115, shall comply with the requirements of the Chemical Accident Prevention Provisions at 40 CFR 68 no later than the latest of the following dates:

- Three years after the date on which a regulated substance present above a threshold quantity is first listed under 40 CFR 68.130.
- The date on which a regulated substance is first present above a threshold quantity in a process.

**[40 CFR 68.10 (a)]**

**Fuel-burning Equipment**

- 1.13 Unless specified elsewhere in the permit, the following shall apply to fuel-burning equipment at the facility:

- For fuel-burning equipment commencing operation on or after October 1, 1979, with a rated input of 10 million British thermal units per hour (MMBtu/hr) or more, the permittee shall not discharge to the atmosphere PM in excess of 0.015 grains per dry standard cubic foot (gr/dscf) of effluent gas corrected to 3% oxygen by volume for gas, 0.050 gr/dscf of effluent gas corrected to 3% oxygen by volume for liquid, 0.050 gr/dscf of effluent gas corrected to 8% oxygen by volume for coal, and 0.080 gr/dscf of effluent gas corrected to 8% oxygen by volume for wood products.

**[IDAPA 58.01.01.676, 5/1/94]**

**Sulfur Content**

- 1.14 No person shall sell, distribute, use, or make available for use any distillate fuel oil containing more than the following percentages of sulfur:

- ASTM Grade 1 fuel oil - 0.3% by weight.
- ASTM Grade 2 fuel oil - 0.5% by weight.

**[IDAPA 58.01.01.728, 5/1/94]**



**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Compliance Testing**

- 1.15 If testing is required, the permittee shall provide notice of intent to test to the Department at least 15 days prior to the scheduled test or shorter time period as provided in a permit, order, consent decree, or by Department approval. The Department may, at its option, have an observer present at any emissions tests conducted on a source. The Department requests such testing not be performed on weekends or state holidays.

All testing shall be conducted in accordance with the procedures in IDAPA 58.01.01.157. Without prior Department approval, any alternative testing is conducted solely at the permittee's risk. If the permittee fails to obtain prior written Department approval for any testing deviations, the Department may determine that the testing does not satisfy the testing requirements. Therefore, prior to conducting any compliance test, the permittee is encouraged to submit in writing to the Department, at least 30 days in advance, the following for approval:

- The type of test method to be used.
- Any extenuating or unusual circumstances regarding the proposed test.
- The proposed schedule for conducting and reporting the test.

Within 30 days following the date in which a compliance test required by this permit is concluded, the permittee shall submit to the Department a compliance test report for the respective test. The compliance test report shall include all process operating data collected during the test period as well as the test results, raw test data, and associated documentation, including any approved test protocol.

The proposed test date(s), test date rescheduling notice(s), compliance test report, and all other correspondence shall be sent to:

Air Quality Permit Compliance  
Department of Environmental Quality  
Coeur d'Alene Regional Office  
2110 Ironwood Pkwy.  
Coeur d'Alene, ID 83814  
(208) 769-1422 Fax: (208) 769-1404

[IDAPA 58.01.01.157, 4/5/00; IDAPA 58.01.01.322.06, 08.a, 09, 5/1/94]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027****Permittee:** Riley Creek Lumber Co.**Date Issued:****Location:** Laclede, Idaho**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

**Test Methods**

- 1.16 If testing is required, the permittee shall use the test methods described in Table 1.2 to measure the pollutant emissions.

**Table 1.2 EPA Reference Test Methods**

Pollutant	Test Method	Special Conditions
PM <sub>10</sub> <sup>a</sup>	EPA Method 201.a and Method 202 <sup>b</sup>	
PM <sup>c</sup>	EPA Method 5	
NO <sub>x</sub> <sup>d</sup>	EPA Method 7	
SO <sub>2</sub> <sup>e</sup>	EPA Method 6	
CO <sup>f</sup>	EPA Method 10	
VOC <sup>g</sup>	EPA Method 25	
Opacity	EPA Method 9	If an NSPS <sup>h</sup> source, IDAPA 58.01.01.625 and Method 9; otherwise, IDAPA 58.01.01.625 only.

a. as defined by IDAPA 58.01.01.006.72

b. or Department-approved alternative in accordance with IDAPA 58.01.01.157

c. particulate matter

d. oxides of nitrogen

e. sulfur dioxide

f. carbon monoxide

g. volatile organic compound

h. New Source Performance Standards

**Monitoring and Recordkeeping**

- 1.17 The permittee shall maintain sufficient recordkeeping to assure compliance with all of the terms and conditions of this operating permit. Recording of monitoring information shall include, but not be limited to: (a) the date, place, and times of sampling or measurements; (b) the date analyses were performed; (c) the company or entity that performed the analyses; (d) the analytical techniques or methods used; (e) the results of such analyses; and (f) the operating conditions existing at the time of sampling or measurement. All monitoring records and support information shall be retained for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Supporting information includes, but is not limited to, all calibration and maintenance records, all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. All records required to be maintained by this permit shall be made available in either hard copy or electronic format to Department representatives upon request.

[IDAPA 58.01.01.322.07, 5/1/94]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Reports and Certifications**

- 1.18 All periodic reports and certifications required by this permit shall be submitted to the Department within 30 days of the end of each specified reporting period. Excess emissions reports and notifications shall be submitted in accordance with IDAPA 58.01.01.130-136. Reports, certifications, and notifications shall be submitted to:

Air Quality Permit Compliance  
Department of Environmental Quality  
Coeur d'Alene Regional Office  
2110 Ironwood Parkway  
Coeur d'Alene, ID 83814

The periodic compliance certification required by General Provision 21 shall also be submitted to the Environmental Protection Agency (EPA) within 30 days of the end of the specified reporting period, at the following address:

EPA Region 10  
Air Operating Permits, OAQ-107  
1200 Sixth Ave.  
Seattle, WA 98101

[IDAPA 58.01.01.322.08, 11, 5/1/94]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

## 2. PERRY SMITH ABCO - WOOD-FIRED BOILER, BOILER NO. 1

### Summary Description

The following is a narrative description of boiler No. 1 regulated in this Tier I operating permit. This description is for informational purposes only.

Boiler No. 1 was manufactured in 1976, and was first permitted for operation at Brand S Corp. on February 1, 1978 (Air Pollution Source Permit No. 0240-0027). Riley Creek Lumber purchased Brand S Corp. some time after 1979 and subsequently permitted the boiler on March 1, 1984 (Air Pollution Source Permit No. 0240-0027). The boiler's rated heat capacity is 70.23 MMBtu/hr, and it is fired on wood fuel exclusively. The boiler is located in the steam plant building and operates 24 hours per day, seven days per week, 52 weeks per year.

Table 2.1 below describes the control devices used in controlling emissions from boiler No. 1.

**Table 2.1 Emissions Units and Emissions Control Devices**

Emission Unit(s) / Process(es)	Emission Control Device
Perry Smith ABCO	One multiclone and one ESP <sup>a</sup> in series

a. electrostatic precipitator

Table 2.2 contains a summary of the requirements that apply to boiler No. 1. Specific permit requirements are listed below Table 2.2.

**Table 2.2 Boiler No. 1 Emissions and Applicable Requirements Summary**

Permit Conditions	Parameter	Permit Limit / Standard Summary	Applicable Requirements Reference	Monitoring, Recordkeeping, and Recording Requirements
2.1	Particulate matter	0.200 gr/dscf <sup>a</sup> at 8% oxygen	IDAPA 58.01.01.677	2.11, 2.12, 2.13, 2.18, 2.19
2.2	Carbon monoxide	46 lb/hr <sup>b</sup> and 203 T/yr <sup>c</sup>	PTC No. 017-00027	2.11, 2.12, 2.14, 2.18, 2.19
2.3	Particulate matter	22 lb/hr and 96 T/yr	PTC No. 017-00027	2.11, 2.12, 2.15, 2.18, 2.19
2.4	Visible emissions	20% opacity for no more than three minutes in any 60-minute period	IDAPA 58.01.01.625	2.17, 2.21
2.5	Steaming rate	40,200 lb/hr	PTC No. 017-00027	2.11, 2.18
2.10	ESP voltage and amperage	Manufacturer and O&M <sup>d</sup> manual specifications	PTC No. 017-00027	2.16, 2.20

a. grains per dry standard cubic foot

b. pound(s) per hour

c. ton(s) per year

d. operations and maintenance

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.

**Date Issued:**

**Location:** Laclede, Idaho

**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Permit Limits / Standard Summary**

- 2.1 A person shall not discharge to the atmosphere from any fuel-burning equipment in operation prior to October 1, 1979, or with a maximum rated input of less than 10 MMBtu/hr, PM in excess of 0.200 gr/dscf corrected to 8% oxygen.  
[IDAPA 58.01.01.677, 5/1/94; Permit to Construct (PTC) No. 017-00027, 6/26/01]
- 2.2 Carbon monoxide emissions from the boiler No. 1 stack shall not exceed 46 pounds per hour (lb/hr) or 203 tons per year (T/yr).  
[PTC No. 017-00027, 6/26/01]
- 2.3 Particulate matter emissions from the boiler No. 1 stack shall not exceed 22 lb/hr or 96 T/yr.  
[PTC No. 017-00027, 6/26/01]
- 2.4 The permittee shall comply with Permit Condition 1.7.  
[IDAPA 58.01.01.625, 4/5/00; PTC No. 017-00027, 6/26/01]
- 2.5 The maximum steaming rate of boiler No. 1 shall not exceed 40,200 lb/hr of steam, averaged over a three-hour period. The allowable steaming rate can be modified by conducting a source test(s), which demonstrates compliance with applicable standards.  
[PTC No. 017-00027, 6/26/01]
- 2.6 The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer specifications, equipment to measure the steam production rate of boiler No. 1.  
[PTC No. 017-00027, 6/26/01]
- 2.7 The permittee shall install, maintain in good working order, and operate as efficiently as practical, in accordance with manufacturer specifications, an electrostatic precipitator (ESP) on the No. 1 boiler stack to control PM emissions from the No. 1 boiler.  
[PTC No. 017-00027, 6/26/01]
- 2.8 The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer specifications, equipment to continuously measure the voltage and amperage applied by each transformer-rectification (T/R) set to the discharge electrodes and each ESP field.  
[PTC No. 017-00027, 6/26/01]
- 2.9 In accordance with PTC No. 017-00027, dated June 26, 2001, the permittee shall have developed an operations and maintenance (O&M) manual for the ESP according to manufacture specifications and recommendations. This manual shall describe the methods and procedures that will be followed to assure the ESP is maintained in good working order and operated as efficiently as practical. The manual shall remain onsite at all times and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]
- 2.10 The voltage and amperage applied by each T/R set to the discharge electrodes shall be maintained within manufacturer and O&M manual specifications. Documentation of both the manufacturer and O&M manual voltage and amperage specifications shall remain onsite at all times and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Monitoring & Recordkeeping Requirements**

- 2.11 The permittee shall monitor and record hourly, the steam production rate of boiler No. 1. The steam production rate shall be recorded as pounds per hour (lb/hr). Boiler No. 1 steam production rate records shall be kept at the facility for the most recent five-year period and shall be made available to Department representatives upon request.  
[IDAPA 58.01.01.322.07, 5/1/94; PTC No. 017-00027, 6/26/01]
- 2.12 Within the first year of the five-year Tier I operating permit term, the permittee shall conduct a performance test for PM and CO as specified in Permit Condition 1.15. The steaming rate of the boiler shall be monitored and recorded during the performance test.  
[IDAPA 58.01.01.322.06(c), (d), 08(a), 09, 5/1/94; PTC No. 017-00027, 6/26/01]
- 2.13 If the particulate grain loading measured in the initial performance test is less than or equal to 75% of the emission standard in IDAPA 58.01.01.677, no further testing shall be required during the permit term. If the particulate grain loading measured during the initial performance test is greater than 75%, but less than or equal to 90% of the emission standard in IDAPA 58.01.01.677, a second test shall be required in the third year of the permit term. If the initial particulate grain loading measured during the performance test is greater than 90% of the emission standard in IDAPA 58.01.01.677, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 2.14 If the CO emission rate measured in the initial performance test is less than or equal to 75% of the hourly emission rate limit in Permit Condition 2.2, no further testing shall be required during the permit term. If the CO emission rate measured during the initial performance test is greater than 75%, but less than or equal to 90% of the hourly emission rate limit in Permit Condition 2.2, a second test shall be required in the third year of the permit term. If the CO emission rate measured during the initial performance test is greater than 90% of the hourly emission rate limit in Permit Condition 2.2, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 2.15 If the PM emission rate measured in the initial performance test is less than or equal to 75% of the hourly emission rate limit in Permit Condition 2.3, no further testing shall be required during the permit term. If the PM emission rate measured during the initial performance test is greater than 75%, but less than or equal to 90% of the hourly emission rate limit in Permit Condition 2.3, a second test shall be required in the third year of the permit term. If the PM emission rate measured during the initial performance test is greater than 90% of the hourly emission rate limit in Permit Condition 2.3, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 2.16 The permittee shall monitor and record hourly, the voltage and amperage applied by each T/R set to the discharge electrodes. A minimum of 20 hourly readings shall be recorded per day. The voltage and amperage recorded shall be consistent with manufacturer and O&M manual units of measure. The voltage and amperage records shall be kept at the facility for the most recent five-year period and shall be made available to Department representatives upon request.  
[IDAPA 58.01.01.322.07, 5/1/94; PTC No. 017-00027, 6/26/01]
- 2.17 The permittee shall comply with Permit Condition 1.8.  
[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Reporting**

- 2.18 The permittee shall submit to the Department and the EPA every six months, a summary report of steam production data acquired through Permit Condition 2.11. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 2.19 The permittee shall report the results of the performance test required in Permit Condition 2.12 to the Department and the EPA in a written report to be received no later than 30 days after completion of the test. If additional performance testing is conducted, it shall be conducted in accordance with Permit Conditions 2.13, 2.14, or 2.15, and the permittee shall report the results to the Department and the EPA in a written report to be received no later than 30 days after completion of the test.  
[IDAPA 58.01.01.322.08(a), 5/1/94; PTC No. 017-00027, 6/26/01]
- 2.20 The permittee shall submit to the Department and EPA every six months, a summary report of the ESP monitoring data acquired through Permit Condition 2.16. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 2.21 The permittee shall submit to the Department and EPA every six months, a summary report of the visible emissions monitoring data acquired through Permit Condition 2.17. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08, 11, 4/5/00]
- 2.22 All documents including, but not limited to, records, monitoring data, supporting information, testing reports, or compliance certifications submitted to the Department shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027****Permittee:** Riley Creek Lumber Co.**Date Issued:****Location:** Laclede, Idaho**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

**3. KIPPER AND SONS – WOOD-FIRED BOILER, BOILER NO. 2****Summary Description**

The following is a narrative description of boiler No. 2 regulated in this Tier I operating permit. This description is for informational purposes only.

Boiler No. 2 was manufactured in 1975. Riley Creek Lumber obtained a permit to construct the boiler on December 31, 1996 (PTC NO. 017-00027). The boiler's rated heat capacity is 67.69 MMBtu/hr, and it is fired on wood fuel exclusively. The boiler is located in the steam plant building, and operates 24 hours per day, seven days per week, 52 weeks per year.

Table 3.1 below describes the control devices used in controlling emissions from boiler No. 2.

**Table 3.1 Emissions Units and Emissions Control Devices**

Emission Unit(s) / Process(es)	Emission Control Device
Kipper and Sons	One multiclone and one ESP in series

Table 3.2 contains a summary of the requirements that apply to boiler No. 2. Specific permit requirements are listed below Table 3.2.

**Table 3.2 Boiler No. 2 Emissions and Applicable Requirements Summary**

Permit Conditions	Parameter	Permit Limit / Standard Summary	Applicable Requirements Reference	Monitoring, Recordkeeping, and Recording Requirements
3.1	Particulate matter	0.080 gr/dscf at 8% Oxygen	IDAPA 58.01.01.676	3.12, 3.13, 3.14, 3.19, 3.20
3.2	Carbon monoxide	70 lb/hr and 306 T/yr	PTC No. 017-00027	3.12, 3.13, 3.15, 3.19, 3.20
3.3	Particulate matter	12 lb/hr and 53 T/yr	PTC No. 017-00027	3.12, 3.13, 3.16, 3.19, 3.20
3.4	Visible emissions	20% opacity for no more than three minutes in any 60-minute period	IDAPA 58.01.01.625	3.18, 3.22
3.5	Steaming rate	39,200 lb/hr	PTC No. 017-00027	3.12, 3.19
3.11	ESP voltage and amperage	Manufacturer and O&M manual specifications	PTC No. 017-00027	3.17, 3.21

**Permit Limits / Standard Summary**

- 3.1 A person shall not discharge to the atmosphere from any fuel-burning equipment in operation on or after October 1, 1979, with a maximum rated input equal to or exceeding 10 MMBtu/hr, particulate matter in excess of 0.080 gr/dscf corrected to 8% oxygen.

[IDAPA 58.01.01.676, 5/1/94; PTC No. 017-00027, 6/26/01]



**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- 3.2 Carbon monoxide emissions from the boiler No. 2 stack shall not exceed 70 lb/hr or 306 T/yr.  
[PTC No. 017-00027, 6/26/01]
- 3.3 Particulate matter emissions from the boiler No. 2 stack shall not exceed 12 lb/hr or 53 T/yr.  
[PTC No. 017-00027, 6/26/01]
- 3.4 The permittee shall comply with Permit Condition 1.7.  
[IDAPA 58.01.01.625, 4/5/00; PTC No. 017-00027, 6/26/01]
- 3.5 The maximum steaming rate of Boiler No. 2 shall not exceed 39,200 lb/hr of steam, averaged over a three-hour period. The allowable steaming rate can be modified by conducting a source test(s), which demonstrates compliance with applicable standards.  
[PTC No. 017-00027, 6/26/01]
- 3.6 Conveyors and drop points in the wood-waste fuel handling system shall be enclosed on the sides to minimize fugitive dust emissions.  
[PTC No. 017-00027, 6/26/01]
- 3.7 The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer's specifications, equipment to measure the steam production rate of boiler No. 2.  
[PTC No. 017-00027, 6/26/01]
- 3.8 The permittee shall install, maintain in good working order, and operate as efficiently as practical, in accordance with the manufacturer's specifications, an ESP on the No. 2 boiler stack to control PM emissions from the No. 2 boiler.  
[PTC No. 017-00027, 6/26/01]
- 3.9 The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer's specifications, equipment to continuously measure the voltage and amperage applied by each T/R set to the discharge electrodes and each ESP field.  
[PTC No. 017-00027, 6/26/01]
- 3.10 In accordance with PTC No. 017-00027, dated June 26, 2001, the permittee shall have developed an O&M manual for the ESP according to manufacture specifications and recommendations. This manual shall describe the methods and procedures that will be followed to assure the ESP is maintained in good working order and operated as efficiently as practical. The manual shall remain onsite at all times and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]
- 3.11 The voltage and amperage applied by each T/R set to the discharge electrodes shall be maintained within manufacturer and O&M manual specifications. Documentation of both the manufacturer and O&M manual voltage and amperage specifications shall remain onsite at all times and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Monitoring & Recordkeeping Requirements**

- 3.12 The permittee shall monitor and record hourly, the steam production rate of boiler No. 2. The steam production rate shall be recorded as pounds per hour (lb/hr). Boiler No. 2 steam production rate records shall be kept at the facility for the most recent five-year period and shall be made available to Department representatives upon request.  
[IDAPA 58.01.01.322.07, 5/1/94; PTC No. 017-00027, 6/26/01]
- 3.13 Within the first year of the five-year Tier I operating permit term, the permittee shall conduct a performance test for PM and CO as specified in Permit Condition 1.15. The steaming rate of the boiler shall be monitored and recorded during the performance test.  
[IDAPA 58.01.01.322.06(c), (d), 08(a), 09, 5/1/94; PTC No. 017-00027, 6/26/01]
- 3.14 If the particulate grain loading measured in the initial performance test is less than or equal to 75% of the emission standard in IDAPA 58.01.01.677, no further testing shall be required during the permit term. If the particulate grain loading measured during the initial performance test is greater than 75%, but less than or equal to 90% of the emission standard in IDAPA 58.01.01.677, a second test shall be required in the third year of the permit term. If the initial particulate grain loading measured during the performance test is greater than 90% of the emission standard in IDAPA 58.01.01.677, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 3.15 If the CO emission rate measured in the initial performance test is less than or equal to 75% of the hourly emission rate limit in Permit Condition 3.2, no further testing shall be required during the permit term. If the CO emission rate measured during the initial performance test is greater than 75%, but less than or equal to 90% of the hourly emission rate limit in Permit Condition 3.2, a second test shall be required in the third year of the permit term. If the CO emission rate measured during the initial performance test is greater than 90% of the hourly emission rate limit in Permit Condition 3.2, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 3.16 If the PM emission rate measured in the initial performance test is less than or equal to 75% of the hourly emission rate limit in Permit Condition 3.3, no further testing shall be required during the permit term. If the PM emission rate measured during the initial performance test is greater than 75%, but less than or equal to 90% of the hourly emission rate limit in Permit Condition 3.3, a second test shall be required in the third year of the permit term. If the PM emission rate measured during the initial performance test is greater than 90% of the hourly emission rate limit in Permit Condition 3.3, the permittee shall conduct a performance test annually.  
[IDAPA 58.01.01.322.06(c), (d), 09, 5/1/94]
- 3.17 The permittee shall monitor and record hourly, the voltage and amperage applied by each T/R set to the discharge electrodes. A minimum of 20 hourly readings shall be recorded per day. The voltage and amperage recorded shall be consistent with manufacturer and O&M manual units of measure. The voltage and amperage records shall be kept at the facility for the most recent five-year period and shall be made available to Department representatives upon request.  
[IDAPA 58.01.01.322.07, 5/1/94; PTC No. 017-00027, 6/26/01]
- 3.18 The permittee shall comply with Permit Condition 1.8.  
[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Reporting**

- 3.19 The permittee shall submit to the Department and the EPA every six months, a summary report of the steam generation data acquired through Permit Condition 3.12. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 3.20 The permittee shall report the results of the performance test required in Permit Condition 3.13 to the Department and the EPA in a written report to be received no later than 30 days after completion of the test. If additional performance testing is conducted, it shall be conducted in accordance with Permit Conditions 3.14, 3.15, 3.16, and the permittee shall report the results to the Department and the EPA in a written report to be received no later than 30 days after completion of the test.  
[IDAPA 58.01.01.322.08(a), 5/1/94; PTC No. 017-00027, 6/26/01]
- 3.21 The permittee shall submit to the Department and EPA every six months, a summary report of the ESP monitoring data acquired through Permit Condition 3.17. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 3.22 The permittee shall submit to the Department and EPA every six months, a summary report of the visible emissions monitoring data acquired through Permit Condition 3.18. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 3.23 All documents including, but not limited to, records, monitoring data, supporting information, testing reports, or compliance certifications submitted to the Department shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

#### **4. RAIL CAR TARGET BOX, PLANER SHAVINGS CYCLONE BAGHOUSE, AND OLIVINE BURNER**

##### **Summary Description**

The following is a narrative description of the sources regulated in this section of the Tier I operating permit. This description is for informational purposes only.

The rail car target box receives wood chips pneumatically from the sawmill and planer mill, and is classified as a point source due to the presence of an air-displacement stack. The planer shavings cyclone baghouse is required by the consent order dated July 10, 2001, as part of a Department-approved supplemental environmental project. The Olivine burner is no longer in use as a wood waste incinerator at Riley Creek; however, it is still subject to regulation until such time as it is dismantled and moved off-site.

Table 4.1 below describes the control devices used in controlling emissions from the sources regulated in this permit.

**Table 4.1 Emissions Units and Emissions Control Devices**

<b>Emission Unit(s) / Process(es)</b>	<b>Emission Control Device</b>
Rail car target box	None
Planer shavings cyclone baghouse	None
Olivine burner	None

Table 4.2 contains only a summary of the requirements that apply to the sources regulated in this section of the Tier I operating permit. Specific permit requirements are listed below Table 4.2.

**Table 4.2 Emissions and Applicable Requirements Summary**

<b>Permit Conditions</b>	<b>Parameter</b>	<b>Permit Limit / Standard Summary</b>	<b>Applicable Requirements Reference</b>	<b>Monitoring, Recordkeeping, and Reporting Requirements</b>
4.1	Particulate matter	0.1 gr/dscf, 2.14 lb/hr, and 9.39 T/yr <sup>a</sup>	IDAPA 58.01.01.710.08(b) and PTC No. 017-00027	4.9, 4.13
4.2	Fugitive emissions	Reasonable control	IDAPA 58.01.01.651 and PTC No. 017-00027	4.10, 4.12
4.3	Visible emissions	20% opacity for no more than three minutes in any 60-minute period	PTC No. 017-00027	4.11, 4.14
4.8	Pressure differential	Manufacturer and O&M manual specifications	PTC. No. 017-00027	4.9, 4.13

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Permit Limits / Standard Summary**

- 4.1 Particulate matter emissions from the planer shavings cyclone baghouse shall not exceed 0.1 gr/dscf as required by IDAPA 58.01.01.710.08(b), nor shall they exceed 2.14 lb/hr or 9.39 T/yr.  
[PTC No. 017-00027, 6/26/01]
- 4.2 The permittee shall comply with Permit Condition 1.1.  
[IDAPA 58.01.01.650-651, 5/1/94; PTC No. 017-00027, 6/26/01]
- 4.3 The permittee shall comply with Permit Condition 1.7.  
[IDAPA 58.01.01.625, 4/5/00; PTC No. 017-00027, 6/26/01]
- 4.4 The Olivine burner and associated wood-waste handling system shall not be used, as designed, to incinerate wood waste.  
[PTC No. 017-00027, 6/26/01]
- 4.5 The permittee shall install, maintain in good working order, and operate as efficiently as practical, in accordance with manufacturer specifications, a baghouse on the planer shavings cyclone to control PM emissions. The planer shavings cyclone baghouse is required to be installed by May 9, 2002, and is required to be fully implemented and operational by July 12, 2002, in accordance with the consent order dated July 10, 2001.  
[Consent Order, 7/10/01; PTC No. 017-00027, 6/26/01]
- 4.6 The permittee shall install, calibrate, maintain, and operate, in accordance with manufacturer specifications, equipment to continuously measure the pressure differential across the planer shavings baghouse.  
[PTC No. 017-00027, 6/26/01]
- 4.7 In accordance with PTC No. 017-00027, dated June 26, 2001, the permittee shall have developed an O&M manual for the planer shavings cyclone baghouse according to manufacture specifications and recommendations. This manual shall describe the methods and procedures that will be followed to assure the planer shavings cyclone baghouse is maintained in good working order and operated as efficiently as practical. The manual shall remain onsite at all times and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]
- 4.8 The pressure differential across the planer shavings cyclone baghouse shall be maintained within manufacturer and O&M manual specifications. Documentation of both the manufacturer and O&M manual operating pressure differential specifications shall remain onsite at all times and shall be available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]

**Monitoring & Recordkeeping Requirements**

- 4.9 The permittee shall monitor and record once per day, while in operation, the pressure differential across the planer shavings cyclone baghouse. Records of the pressure differential shall remain onsite for the most recent two-year period and shall be made available to Department representatives upon request.  
[PTC No. 017-00027, 6/26/01]
- 4.10 The permittee shall comply with Permit Conditions 1.2 through 1.4.  
[IDAPA 58.01.01.322.06, 07, 5/1/94; IDAPA 58.01.01.322.08, 4/5/00]
- 4.11 The permittee shall comply with Permit Condition 1.8.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.

**Date Issued:**

**Location:** Laclede, Idaho

**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Reporting**

- 4.12 The permittee shall submit to the Department and EPA every six months, a summary report of the fugitive emissions records acquired through Permit Condition 4.10. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 4.13 The permittee shall submit to the Department and EPA every six months, a summary report of the pressure differential records acquired through Permit Condition 4.9. The summary report is to be received no later than 30 days after the end of each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 4.14 The permittee shall submit to the Department and EPA every six months, a summary report of the visible emissions records acquired through Permit Condition 4.11. The summary report is to be received no later than 30 days after each six-month period.  
[IDAPA 58.01.01.322.08(a), 5/1/94]
- 4.15 All documents including, but not limited to, records, monitoring data, supporting information, testing reports, or compliance certifications submitted to the Department shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.  
[PTC No. 017-00027, 6/26/01]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

**5. MISCELLANEOUS SOURCES**

The sources listed in this section of the Tier I operating permit are not currently subject to regulation(s) under any other Department-issued permits. These sources have potential PM emission rates exceeding 10 percent of the significance level in IDAPA 58.01.01.006.92 and do not meet any other criteria for insignificant sources listed in IDAPA 58.01.01.317. These sources are also subject to IDAPA 58.01.01.702. Therefore, they are grouped together in this section with applicable requirements of the Rules. The following sources are included in this permit as miscellaneous sources: debarker, bark hog shredder, drying kilns, sawdust bin truck loadout, and sawmill chip bin truck loadout.

Table 5.1 contains a summary of the requirements that apply to the sources regulated in this section of the Tier I operating permit. Specific permit requirements are listed below Table 5.1.

**Table 5.1 Emissions and Applicable Requirements Summary**

<b>Permit Condition</b>	<b>Affected Units</b>	<b>Parameter</b>	<b>Permit Limit / Standard Summary</b>	<b>Applicable Requirements Reference</b>	<b>Monitoring, Recordkeeping, and Reporting Requirements</b>
5.1	Debarker, bark hog shredder, drying kilns, sawdust bin truck loadout, sawmill chip bin truck loadout	Particulate matter	Process weight rate	IDAPA 58.01.01.702	Not required

**Permit Limits / Standard Summary**

5.1 The debarker, bark hog shredder, drying kilns, sawdust bin truck loadout, and sawmill chip bin truck loadout shall not emit to the atmosphere PM in excess of the amount shown by the following equations, where E is the allowable emission from the entire source in pounds per hour, and PW is the process weight in pounds per hour:

- a. If PW is less than 17,000 lb/hr,

$$E = 0.045(PW)^{0.80}$$

- b. If PW is equal to or greater than 17,000 lb/hr,

$$E = 1.12(PW)^{0.27}$$

[IDAPA 58.01.01.702, 4/5/00]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027****Permittee:** Riley Creek Lumber Co.**Date Issued:****Location:** Laclede, Idaho**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**6. INSIGNIFICANT ACTIVITIES**

Activities and emission units identified as insignificant under IDAPA 58.01.01.317.01(b) are listed in the Tier I operating permit to qualify for a permit shield.

**Table 6.1 Insignificant Activities**

<b>Description</b>	<b>Insignificant Activities IDAPA 58.01.01.317.01(b)(i) Citation</b>
Sawmill, indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Sawmill screen (classifier), indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Sawmill chipper, indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Planer, indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Planer chipper, indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Planer trimmer, indoor	IDAPA 58.01.01.317.01(b)(i)(30)
Planer shavings convey	IDAPA 58.01.01.317.01(b)(i)(30)
Planer shavings bin truck loadout	IDAPA 58.01.01.317.01(b)(i)(30)
Fire water pump	IDAPA 58.01.01.317.01(b)(i)(30)
Small generators and compressors	IDAPA 58.01.01.317.01(b)(i)(6)

- 6.1 There are no monitoring, recordkeeping, or reporting requirements for insignificant emission units or activities beyond those required in the Facility-wide Permit Conditions.



**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**TIER I OPERATING PERMIT GENERAL PROVISIONS**

***General Compliance***

1. The permittee shall comply with all conditions of this permit. Any permit noncompliance constitutes a violation and is grounds for enforcement action, for permit termination, revocation and reissuance, or revision, or for denial of a permit renewal application.  
[IDAPA 58.01.01.322.15.a, 5/1/94; 40 CFR 70.6(a)(6)(I)]
2. It shall not be a defense in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the terms and conditions of this permit.  
[IDAPA 58.01.01.322.15.b, 5/1/94; 40 CFR 70.6(a)(6)(II)]
3. Any permittee who fails to submit any relevant facts or who has submitted incorrect information in a permit application shall, upon becoming aware of such failure or incorrect submittal, promptly submit such supplementary facts or corrected information.  
[IDAPA 58.01.01.315.01, 5/1/94; 40 CFR 70.5(b)]

***Reopening***

4. This permit may be revised, reopened, revoked and reissued, or terminated for cause. Cause for reopening exists under any of the circumstances listed in IDAPA 58.01.01.386. Proceedings to reopen and reissue a permit shall follow the same procedures as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists. Such reopening shall be made as expeditiously as practicable in accordance with IDAPA 58.01.01.360 through 369.  
[IDAPA 58.01.01.322.15.c, 5/1/94; IDAPA 58.01.01.386, 3/19/99; 40 CFR 70.7(f)(1), (2); 40 CFR 70.6(a)(6)(III)]
5. The filing of a request by the permittee for a permit revision, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.  
[IDAPA 58.01.01.322.15.d, 5/1/94; 40 CFR 70.6(a)(6)(III)]

***Property Rights***

6. This permit does not convey any property rights of any sort, or any exclusive privilege.  
[IDAPA 58.01.01.322.15.e, 5/1/94; 40 CFR 70.6(a)(6)(IV)]

***Information Requests***

7. The permittee shall furnish all information requested by the Department, within a reasonable time, that the Department may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit.  
[Idaho Code §39-108; IDAPA 58.01.01.122 (5/1/94) and 322.15.f (4/5/00); 40 CFR 70.6(a)(6)(v)]
8. Upon request, the permittee shall furnish to the Department copies of records required to be kept by this permit. For information claimed to be confidential, the permittee may furnish such records along with a claim of confidentiality in accordance with Idaho Code §9-342A and applicable implementing regulations including IDAPA 58.01.01.128.  
[IDAPA 58.01.01.322.15.g, 5/1/94; IDAPA 58.01.01.128, 4/5/00; 40 CFR 70.6(a)(6)(v)]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Severability**

9. The provisions of this permit are severable, and if any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

[IDAPA 58.01.01.322.15.h, 5/1/94; 40 CFR 70.6(a)(5)]

**Changes Requiring Permit Revision or Notice**

10. The permittee may not commence construction or modification of any stationary source, facility, major facility, or major modification without first obtaining all necessary permits to construct or an approval under IDAPA 58.01.01.213, or complying with IDAPA 58.01.01.220 through 223. The permittee shall comply with IDAPA 58.01.01.380 through 386 as applicable.

[IDAPA 58.01.01.200 through 223, 4/5/00; IDAPA 58.01.01.322.15.i, 3/19/99;  
IDAPA 58.01.01.380 through 386, 3/19/99; 40 CFR 70.4(b)(12), (14), (15), 70.7(d), (e)]

11. Changes that are not addressed or prohibited by the Tier I operating permit require a Tier I operating permit revision if such changes are subject to any requirement under Title IV of the Clean Air Act (CAA), 42 USC Section 7651 through 7651c, or are modifications under Title I of the CAA, 42 USC Section 7401 through 7515. Administrative amendments (IDAPA 58.01.01.381), minor permit modifications (IDAPA 58.01.01.383), and significant permit modifications (IDAPA 58.01.01.382) require a revision to the Tier I operating permit. Section 502(b)(10) changes are authorized in accordance with IDAPA 58.01.01.384. Off-permit changes and required notice are authorized in accordance with IDAPA 58.01.01.385.

[IDAPA 58.01.01.381 through 385, 3/19/99; IDAPA 58.01.01.209.05, 5/1/94; 40 CFR 70.4(b)(14), (15)]

**Federal and State Enforceability**

12. Unless specifically identified as a "state-only" provision, all terms and conditions in this permit, including any terms and conditions designed to limit a source's potential to emit, are enforceable: (a) by the Department in accordance with state law; and (b) by the United States or any other person in accordance with federal law.

[IDAPA 58.01.01.322.15.j, 5/1/94; 40 CFR 70.6(b)(1), (2)]

13. Provisions specifically identified as "state-only" are enforceable only in accordance with state law. "State-only" provisions are those that are not required under the CAA or under any of its applicable requirements or those provisions adopted by the state prior to federal approval.

[Idaho Code §39-108; IDAPA 58.01.01.322.15.k, 3/23/98]

**Inspection and Entry**

14. Upon presentation of credentials, the permittee shall allow the Department or an authorized representative of the Department to do the following:

- a. Enter upon the permittee's premises where a Tier I source is located or emissions related activity is conducted, or where records are kept under conditions of this permit.
- b. Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit.
- c. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.

**Date Issued:**

**Location:** Laclede, Idaho

**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- d. As authorized by the Idaho Environmental Protection and Health Act, sample or monitor, at reasonable times, substances or parameters for the purpose of determining or ensuring compliance with this permit or applicable requirements.

[Idaho Code §39-108; IDAPA 58.01.01.322.15.i, 3/19/99; 40 CFR 70.6(c)(2)]

***New Requirements During Permit Term***

15. The permittee shall comply with applicable requirements that become effective during the permit term on a timely basis.

[IDAPA 58.01.01.322.10, 4/5/00; IDAPA 58.01.01.314.10.a.ii, 5/1/94;  
40 CFR 70.6(c)(3) citing §70.5(c)(8)]

***Fees***

16. The owner or operator of a Tier I source shall pay annual registration fees to the Department in accordance with IDAPA 58.01.01.525 through IDAPA 58.01.01.538.

[IDAPA 58.01.01.322.15.n, 5/1/94; 40 CFR 70.6(a)(7)]

***Certification***

17. All documents submitted to the Department shall be certified in accordance with IDAPA 58.01.01.123 and comply with IDAPA 58.01.01.124.

[IDAPA 58.01.01.322.15.o, 5/1/94; 40 CFR 70.6(a)(3)(iii)(A); 40 CFR 70.5(d)]

***Renewal***

18. a. The owner or operator of a Tier I source shall submit an application to the Department for a renewal of this permit at least six months before, but no earlier than 18 months before, the expiration date of this operating permit. To ensure that the term of the operating permit does not expire before the permit is renewed, the owner or operator is encouraged to submit a renewal application nine months prior to the date of expiration.

[IDAPA 58.01.01.313.03, 4/5/00; 40 CFR 70.5(a)(1)(iii)]

- b. If a timely and complete application for a Tier I operating permit renewal is submitted, but the Department fails to issue or deny the renewal permit before the end of the term of this permit, then all the terms and conditions of this permit, including any permit shield that may have been granted pursuant to IDAPA 58.01.01.325, shall remain in effect until the renewal permit has been issued or denied.

[IDAPA 58.01.01.322.15.p, 5/1/94; 40 CFR 70.7(b)]

***Permit Shield***

19. Compliance with the terms and conditions of the Tier I operating permit, including those applicable to all alternative operating scenarios and trading scenarios, shall be deemed compliant with any applicable requirements as of the date of permit issuance, provided that:

- a. Such applicable requirements are included and are specifically identified in the Tier I operating permit; or

- i. The Department has determined that other requirements specifically identified are not applicable and all the criteria set forth in IDAPA 58.01.01.325.01(b) have been met.

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- b. The permit shield shall apply to permit revisions made in accordance with IDAPA 58.01.01.381.04 (administrative amendments incorporating the terms of a PTC), IDAPA 58.01.01.382.04 (significant modifications), and IDAPA 58.01.01.384.03 (trading under an emissions cap).
- c. Nothing in this permit shall alter or affect the following:
  - i. Any administrative authority or judicial remedy available to prevent or terminate emergencies or imminent and substantial dangers.
  - ii. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance.
  - iii. The applicable requirements of the acid rain program, consistent with 42 USC Section 7651(g)(a).
  - iv. The ability of the EPA to obtain information from a source pursuant to Section 114 of the CAA, or the ability of the Department to obtain information from a source pursuant to Idaho Code §39-108 and IDAPA 58.01.01.122.

[Idaho Code §39-108 and 112; IDAPA 58.01.01.122, 322.15.m, 5/1/94;  
IDAPA 58.01.01.381.04, 382.04, 383.05, 384.03, 385.03, 3/19/99; 40 CFR 70.6(f)]

***Compliance Schedule and Progress Reports***

- 20.
    - a. For each applicable requirement for which the source is not in compliance, the permittee shall comply with the compliance schedule incorporated in this permit.
    - b. For each applicable requirement that will become effective during the term of this permit and provides a detailed compliance schedule, the permittee shall comply with such requirements in accordance with the detailed schedule.
    - c. For each applicable requirement that will become effective during the term of this permit and does not contain a more detailed schedule, the permittee shall meet such requirements on a timely basis.
    - d. For each applicable requirement with which the permittee is in compliance, the permittee shall continue to comply with such requirements.
- [IDAPA 58.01.01.322.10, 4/5/00; IDAPA 58.01.01.314.9, 10, 5/1/94; 40 CFR 70.6(c)(3) and (4)]

***Periodic Compliance Certification***

- 21. The permittee shall submit compliance certifications during the term of the permit for each emissions unit to the Department and EPA as follows:
  - a. Compliance certifications for all emissions units shall be submitted annually beginning 12 months from the permit issuance date, or more frequently if specified by the underlying applicable requirement or elsewhere in this permit by the Department.
  - b. The compliance certification for each emissions unit shall address all of the terms and conditions contained in the Tier I operating permit that are applicable to such emissions unit including emissions limitations, standards, and work practices.

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

- c. The compliance certification shall be in an itemized form providing the following information (provided that the identification of applicable information may cross-reference the permit or previous reports as applicable):
- i. The identification of each term or condition of the Tier I operating permit that is the basis of the certification.
  - ii. The identification of the method(s) or other means used by the owner or operator for determining the compliance status with each term and condition during the certification period, and whether such methods or other means provide continuous or intermittent data. Such methods and other means shall include, at a minimum, the methods and means required by this Tier I operating permit. If necessary, the owner or operator shall identify any other material information that must be included in the certification to comply with Section 113(c)(2) of the CAA, which prohibits knowingly making a false certification or omitting material information.
  - iii. The status of compliance with the terms and conditions of the permit for the period covered by the certification, based on the method or means designated in Paragraph 7.21.c.ii above. The certification shall identify each deviation and take it into account in the compliance certification. The certification shall also identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion or exceedance, as defined under 40 CFR Part 64, occurred.
  - iv. Such other facts as the Department may require to determine the compliance status of the source.
- d. All original compliance certifications shall be submitted to the Department and a copy of all compliance certifications shall be submitted to EPA.

[IDAPA 58.01.01.322.11, 5/1/94; 40 CFR 70.6(c)(5)(III); 40 CFR 70.6(c)(5)(IV)]

**False Statements**

22. No person shall knowingly make any false statement, representation, or certification in any form, notice, or report required under this permit, or any applicable rule or order in force pursuant thereto.

[IDAPA 58.01.01.125, 3/23/98]

**No Tampering**

23. No person shall knowingly render inaccurate any monitoring device or method required under this permit, or any applicable rule or order, in force pursuant thereto.

[IDAPA 58.01.01.126, 3/23/98]

**Semiannual Monitoring Reports**

24. In addition to all applicable reporting requirements identified in this permit, the permittee shall submit reports of any required monitoring at least every six months starting six months from the date of permit issuance. All instances of deviation from these permit requirements must be clearly identified in the report. All required reports must be certified in accordance with IDAPA 58.01.01.123.

[IDAPA 58.01.01.322.15.q (3/23/98) and 322.08.c (4/5/00); 40 CFR 70.6(a)(3)(III)]

**AIR QUALITY TIER I OPERATING PERMIT NUMBER: 017-00027**

**Permittee:** Riley Creek Lumber Co.  
**Location:** Laclede, Idaho

**Date Issued:**  
**Date Expires:**

*The permittee is hereby allowed to operate the equipment described herein subject to all terms and conditions of the permit.*

---

**Reporting Deviations and Excess Emissions**

25. The permittee shall promptly report all deviations from permit requirements including upset conditions, their probable cause, and any corrective actions or preventive measures taken. For excess emissions, the report shall be made in accordance with IDAPA 58.01.01.130-136. For all other deviations, the report shall be made in accordance with IDAPA 58.01.01.322.08.c, unless otherwise specified in this permit.  
[IDAPA 58.01.01.322.15.q, 3/23/98; IDAPA 58.01.01.135, 4/5/00; 40 CFR 70.6(a)(3)(iii)]

**Permit Revision Not Required**

26. No permit revision shall be required under any approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes provided for in the permit.  
[IDAPA 58.01.01.322.05.b, 4/5/00; 40 CFR 70.6(a)(8)]

**Emergency**

27. In accordance with IDAPA 58.01.01.332, an "emergency," as defined in IDAPA 58.01.01.008, constitutes an affirmative defense to an action brought for noncompliance with such technology-based emissions limitation if the conditions of IDAPA 58.01.01.332.02 are met.  
[IDAPA 58.01.01.332.01, 3/19/99; 40 CFR 70.6(g)]

SO/nk

G:\AIR PERMITS\T1\RILEY CREEK\FINAL\RCL FINAL OP.DOC